

[CLOUSER, PATCH PANEL,
AND CABINET]



Horizontal Splice Clouser

FO-REP-10-A



Model Description

FO-REP-10-A-24C 24Core with 2PCS Splicing Tray

*Plastic Mater: PC
*Size: 280(L)*175(D)*80(H)mm

FO-REP-10-D



Model Description

FO-REP-10-D-24C 24Core with 2PCS Splicing Tray

FO-REP-10-D-48C 48Core with 2PCS Splicing Tray

*Plastic Mater: PC
*Size: 340(L)*150(D)*70(H)
*1 Slot Can Fix 2Core Splicing Sleeve so the Tray also act as 24core

FO-REP-10-G



Model Description

FO-REP-10-G-24C 24Core with 2PCS Splicing Tray

FO-REP-10-G-48C 48Core with 4PCS Splicing Tray

FO-REP-10-G-96C 96Core with 4PCS Splicing Tray

*Plastic Mater: PC
*Size: 460(L)*182(D)*120(H)
*1 Slot Can Fix 2Core Splicing Sleeve so the Tray also act as 24core

FO-REP-10-J



Model Description

FO-REP-10-J-48C 48Core with 2PCS Splicing Tray

FO-REP-10-J-72C 72Core with 3PCS Splicing Tray

FO-REP-10-J-96C 96Core with 4PCS Splicing Tray

*Plastic Mater: PC
*Size: 445(L)*220(D)*110(H)

FO-REP-10-B



Model Description

FO-REP-10-B-24C 24Core with 2PCS Splicing Tray

FO-REP-10-B-48C 48Core with 4PCS Splicing Tray

FO-REP-10-B-96C 96Core with 8PCS Splicing Tray

*Plastic Mater: PP
*Using Life>30 years

FO-REP-10-E



Model Description

FO-REP-10-E-24C 24Core with 2PCS Splicing Tray

FO-REP-10-E-48C 48Core with 4PCS Splicing Tray

FO-REP-10-E-96C 96Core with 4PCS Splicing Tray

*Plastic Mater: PC
*Size: 340(L)*150(D)*70(H)
*1 Slot Can Fix 2Core Splicing Sleeve so the Tray also act as 24core

FO-REP-10-H



Model Description

FO-REP-10-H-24C 24Core with 2PCS Splicing Tray

FO-REP-10-H-48C 48Core with 4PCS Splicing Tray

FO-REP-10-H-96C 96Core with 4PCS Splicing Tray

*Plastic Mater: PC
*Size: 450(L)*220(D)*110(H)
*1 Slot Can Fix 2Core Splicing Sleeve so the Tray also act as 24core

FO-REP-10-K



Model Description

FO-REP-10-K-96C 96Core with 4PCS Splicing Tray

FO-REP-10-K-144C 144Core with 6PCS Splicing Tray

*Plastic Mater: PC
*Size: 645(L)*220(D)*165(H)

FO-REP-10-C



Model Description

FO-REP-10-C-24C 24Core with 2PCS Splicing Tray

FO-REP-10-C-48C 48Core with 4PCS Splicing Tray

*Plastic Mater: PC
*Using Life>30 years

FO-REP-10-F



Model Description

FO-REP-10-F-24C 24Core with 2PCS Splicing Tray

FO-REP-10-F-48C 48Core with 4PCS Splicing Tray

*Plastic Mater: PC
*Size: 320(L)*210(D)*85(H)

FO-REP-10-I



Model Description

FO-REP-10-I-96C 96Core with 2PCS Splicing Tray

FO-REP-10-I-144C 144Core with 3PCS Splicing Tray

FO-REP-10-I-196C 196Core with 4PCS Splicing Tray

*Plastic Mater: PC
*Size: 605(L)*215(D)*120(H)
*1 Slot Can Fix 2Core Splicing Sleeve so the Tray also act as 48core

FO-REP-10-L



Model Description

FO-REP-10-L-24C 24Core with 4PCS Splicing of 6C Tray

FO-REP-10-L-48C 48Core with 4PCS Splicing of 12C Tray

*Size: 280(L)*200(D)*90(H) mm
*For Both Wall Mounted and Aerial hinged type

Vertical Splice Clouser

FO-REP-20-A



Model Description

FO-REP-20-A-24C	24Core with 2PCS Splicing Tray
FO-REP-20-A-48C	48Core with 4PCS Splicing Tray
FO-REP-20-A-96C	96Core with 4PCS Splicing Tray

*Plastic Mater: PC
*Size: 320*120 mm
*1 Slot Can Fix 2Core Splicing Sleeve so the Tray also act as 24core
*To be fixed on the wall or pole

FO-REP-20-B



Model Description

FO-REP-20-B-24C	24Core with 2PCS Splicing Tray
FO-REP-20-B-48C	48Core with 4PCS Splicing Tray
FO-REP-20-B-96C	96Core with 4PCS Splicing Tray

*Size: 400*140 mm
*1 Slot Can Fix 2Core Splicing Sleeve so the Tray also act as 24core
*To be fixed on the wall or pole

FO-REP-20-C



Model Description

FO-REP-20-C-48C	48Core with 2PCS Splicing Tray
FO-REP-20-C-96C	96Core with 4PCS Splicing Tray

*Plastic Mater: PP
*Size: 550*155 mm
*To be fixed on the wall or pole

FO-REP-20-E



Model Description

FO-REP-20-E-24C	24Core with 4PCS of 6C Splicing Tray (1slot of tray fix 1pcs splicing sleeve, with 6pcs splicing sleeve)
FO-REP-20-E-48C	48Core with 4PCS of 6C Splicing Tray (1slot of tray fix 2pcs splicing sleeve, with 12pcs splicing sleeve)

*Cable entry and size: 4 round ports (screw sealing type)
*The accessories included in the closure: earthing wire, nylon tie, buffer tube, emery paper, metal hoop, insulation tape, sealing tape, special wrench, pressure testing valve (be ordered in addition).

FO-REP-20-D



Model Description

FO-REP-20-D-24C	24Core with 4PCS of 6C Splicing Tray (1slot of tray fix 1pcs splicing sleeve, with 6pcs splicing sleeve)
FO-REP-20-D-48C	48Core with 4PCS of 6C Splicing Tray (1slot of tray fix 2pcs splicing sleeve, with 12pcs splicing sleeve)

*Cable entry and size: 3small round ports (16mm) and 1 large oval port (20mm)
*The accessories included in the closure: earthing wire, nylon tie, buffer tube, emery paper, metal hoop, insulation tape, aluminum foil, small heat shrinkable fixing sleeve (for small round ports), big heat shrinkable fixing sleeve with branching-off clip (for large oval port).

FO-REP-20-H



Model Description

FO-REP-20-H-144C	144Core with 6PCS of 24C Splicing Tray
-------------------------	--

*Cable entry and size: 4small round ports and 1 large oval port
*The accessories included in the closure: earthing wire, nylon tie, buffer tube, emery paper, metal hoop, insulation tape, aluminum foil, small heat shrinkable fixing sleeve (for small round ports), big heat shrinkable fixing sleeve with branching-off clip (for large oval port).

FO-REP-20-F



Model Description

FO-REP-20-F-48C	48Core with 4PCS of 12C Splicing Tray (1slot of tray fix 1pcs splicing sleeve, with 12pcs splicing sleeve)
FO-REP-20-F-96C	96Core with 4PCS of 12C Splicing Tray (1slot of tray fix 2pcs splicing sleeve, with 24pcs splicing sleeve)

*Cable entry and size: 3small round ports and 1 large oval port
*The accessories included in the closure: earthing wire, nylon tie, buffer tube, emery paper, metal hoop, insulation tape, aluminum foil, small heat shrinkable fixing sleeve (for small round ports), big heat shrinkable fixing sleeve with branching-off clip (for large oval port).

FO-REP-20-G



Model Description

FO-REP-20-G-48C	48Core with 4PCS of 12C Splicing Tray (1slot of tray fix 1pcs splicing sleeve, with 12pcs splicing sleeve)
FO-REP-20-G-96C	96Core with 4PCS of 12C Splicing Tray (1slot of tray fix 2pcs splicing sleeve, with 24pcs splicing sleeve)

*Cable entry and size: 4 round ports (screw sealing type)
*The accessories included in the closure: earthing wire, nylon tie, buffer tube, emery paper, metal hoop, insulation tape, sealing tape, special wrench, pressure testing valve (be ordered in addition).

FO-REP-20-I



Model Description

FO-REP-20-I-144C	144Core with 6PCS of 24C Splicing Tray
-------------------------	--

*Cable entry and size: 5 round ports (screw sealing type)
*The accessories included in the closure: earthing wire, nylon tie, buffer tube, emery paper, metal hoop, insulation tape, sealing tape, special wrench, pressure testing valve (be ordered in addition).

FO-REP-20-J



Model Description

FO-REP-20-J-72C	72Core FTTH with 3PCS of 24C Splicing Tray
------------------------	--

*Cable entry and size: 4small round ports and 1 large oval port
*The accessories included in the closure: earthing wire, nylon tie, buffer tube, emery paper, metal hoop, insulation tape, aluminum foil, small heat shrinkable fixing sleeve (for small round ports), big heat shrinkable fixing sleeve with branching-off clip (for large oval port).

ACCESSORIES



Metal Box

FO-REP-30-A



Model	Description	Size
FO-REP-30-A-4C	For 4PCS Simplex SC Adaptor	140*105*30 mm
FO-REP-30-A-8C	For 8PCS Simplex SC Adaptor	170*120*35 mm
FO-REP-30-A-16C	For 16PCS Simplex SC Adaptor	220*200*40 mm

FO-REP-30-B



Model	Description	Size
FO-REP-30-B-6C	For 6PCS SC Simplex Adaptor	225*225*60 mm

FO-REP-30-C




Model	Description	Size
FO-REP-30-C-12C	12Core (with Panel for 12PCS SC Adaptor)	330*285*95 mm
FO-REP-30-C-24C	24Core (with Panel for 24PCS SC Adaptor)	455*385*95 mm
FO-REP-30-C-48C	48Core (with Panel for 48PCS SC Adaptor)	400*400*160 mm

FO-REP-30-D



Model	Description	Size
FO-REP-30-D-12C	12Core FTTH Metal Box (with Front Panel for 12PCS SC Simplex Adaptor)	300*300*83 mm
FO-REP-30-D-24C	24Core FTTH Metal Box (with Front Panel for 24PCS SC Simplex Adaptor)	400*380*83 mm
FO-REP-30-D-48C	48Core FTTH Metal Box (with Front Panel for 48PCS SC Simplex Adaptor)	400*380*135 mm

FO-REP-30-E



Model	Description	Size
FO-REP-30-E-12C	12C FTTH Outdoor Metal Box for 12PCS SC Simplex Adaptor	220*250*70 mm

FO-REP-30-G



Model	Description	Size
FO-REP-30-G-8C	8Core F/O Splicing Metal Box	260*150*44 mm

FO-REP-30-F



Model	Description	Size
FO-REP-30-F-24C	For 24C FTTH Cable (outdoor)	410*450*90 mm
FO-REP-30-F-48C	For 48C FTTH Cable (outdoor)	410*450*160 mm
FO-REP-30-F-72C	For 72C FTTH Cable (outdoor)	410*450*160 mm

* With 3PCS PG13.5 Cable Gland
* With 4PCS Metal Mounting to fix on the wall


Plastic Box

FO-REP-40-A



Model	Description	Size
FO-REP-40-A	2core FTTH Box for SC Adaptor	86*86*22 mm

FO-REP-40-B



Model	Description	Size
FO-REP-40-B	6core F/O Splicing Plastic Core	152*107*31 mm

FO-REP-40-C



Model	Description	Size
FO-REP-40-C	8core F/O Splicing Plastic Box	318*138*50 mm

FO-REP-40-D



Model	Description	Size
FO-REP-40-D	12core F/O Splicing Plastic Box	185*110*45 mm

FO-REP-40-E



Model	Description	Size
FO-REP-40-E-12C	12core F/O Splicing Plastic Box	300*136*43 mm
FO-REP-40-E-24C	24core F/O Splicing Plastic Box	300*136*43 mm

FO-REP-40-F



Model	Description	Size
FO-REP-40-F-6C	6core F/O Splicing Plastic Box (& for 8pcs SC adaptor)	300*136*43 mm
FO-REP-40-F-12C	12core F/O Splicing Plastic Box (& for 8pcs SC adaptor)	300*136*43 mm

FO-REP-40-G



Model	Description	Size
FO-REP-40-G	4core FTTH Box for SC Adaptor	150*110*30 mm

FO-REP-40-H



Model	Description	Size
FO-REP-40-H	4core FTTH Box for SC Adaptor	200*102*40 mm

Plastic Box

FO-REP-40-I



Model	Description	Size
FO-REP-40-I-2C	2core FTTH Box for SC Adaptor	160*100*30 mm
FO-REP-40-I-4C	4core FTTH Box for SC Adaptor	185*115*40 mm
FO-REP-40-I-6C	6core FTTH Box for SC Adaptor	185*115*40 mm

FO-REP-40-J



Model	Description	Size
FO-REP-40-J-8C	8core FTTH Box for SC Adaptor	217*181*45 mm
FO-REP-40-J-16C	16core FTTH Box for SC Adaptor	300*220*80 mm

FO-REP-40-K



Model	Description	Size
FO-REP-40-K-16C-SC	16core FTTH Box for SC Adaptor	320*235*95 mm
FO-REP-40-K-PLC	16core FTTH Box for PLC	320*235*95 mm

FO-REP-40-L



Model	Description
FO-REP-40-L-16C-SC	16core FTTH Box for SC Adaptor
FO-REP-40-L-PLC	FTTH Box for 2pcs 1*8 PLC

FO-REP-40-m



Model	Description
FO-REP-40-M-24C-SC	24core FTTH Box for SC Adaptor
FO-REP-40-M-PLC	FTTH Box for 2pcs 1*8 PLC

FO-REP-40-n



Model	Description	Size
FO-REP-40-N-12C-SC	12core FTTH Box for SC Adaptor	235*200*60 mm
FO-REP-40-N-PLC	FTTH Box for 1*8 PLC	235*200*60 mm

FO-REP-40-o



Model	Description	Size
FO-REP-40-O-24C-SC	24core FTTH Box for SC Adaptor	330*275*100 mm
FO-REP-40-O-PLC	FTTH Box for 2pcs 1*8 PLC	330*275*100 mm


FO-REP-40-p



Model	Description	Size
FO-REP-40-P-24C-SC	24core FTTH Box for SC Adaptor, SMC Material	400*300*100 mm
FO-REP-40-P-PLC	FTTH Box for 2pcs 1*8 PLC , SMC Material	400*300*100 mm

Patch panel

FO-REP-50-a



Model	Description
FO-REP-50-A-12ST	Patch Panel with Front Panel 12Pcs ST Adaptor
FO-REP-50-A-24ST	Patch Panel with Front Panel 24Pcs ST Adaptor
FO-REP-50-A-12SC-S	Patch Panel with Front Panel 12Pcs SC Simplex Adaptor
FO-REP-50-A-24SC-S	Patch Panel with Front Panel 24Pcs SC Simplex Adaptor
FO-REP-50-A-12SC-D	Patch Panel with Front Panel 12Pcs SC Duplex Adaptor
FO-REP-50-A-24SC-D	Patch Panel with Front Panel 24Pcs SC Duplex Adaptor

*Colour: Light Grey or Black
*Patch Panel with 2pcs of splicing Tray

FO-REP-50-b



Model	Description
FO-REP-50-B-24ST	Patch Panel with Front Panel 24Pcs ST Adaptor
FO-REP-50-B-24FC	Patch Panel with Front Panel 24Pcs FC (D-type Adaptor)
FO-REP-50-B-24SC-S	Patch Panel with Front Panel 24Pcs SC Simplex Adaptor
FO-REP-50-B-12SC-D	Patch Panel with Front Panel 12Pcs SC Duplex Adaptor

*Colour: Light Grey or Black
*The body of panel is easy to be pulled and pushed
*Patch Panel with 2pcs of 12C splicing Tray

FO-REP-50-c



Model	Description
FO-REP-50-C-24ST	Patch Panel with Front Panel 24Pcs ST Adaptor
FO-REP-50-C-24FC	Patch Panel with Front Panel 24Pcs FC Adaptor (D-type)
FO-REP-50-C-24SC-S	Patch Panel with Front Panel 24Pcs SC Simplex Adaptor
FO-REP-50-C-12SC-D	Patch Panel with Front Panel 12Pcs SC Duplex Adaptor
FO-REP-50-C-24SC-D	Patch Panel with Front Panel 24Pcs SC Duplex Adaptor

*Colour: Black

FO-REP-50-d



Model	Description
FO-REP-50-D-24ST	Patch Panel with Front Panel 24Pcs ST Adaptor
FO-REP-50-D-24SC-S	Patch Panel with Front Panel 24Pcs SC Simplex Adaptor
FO-REP-50-D-12SC-D	Patch Panel with Front Panel 12Pcs SC Duplex Adaptor

*Colour: Light Grey or Black
*The body of panel is easy to be pulled and pushed
*Patch Panel with 2pcs of splicing Tray


FO-REP-50-e



Model	Description
FO-REP-50-E-6SC-D	DIN Rail for 6Pcs SC Duplex Adaptor
FO-REP-50-E-8SC-S	DIN Rail for 8Pcs SC Simplex Adaptor

*DIN Rail Fixed
*Size:125(L)*132(D)*35(H)mm

FO-REP-50-D




Model	Description
FO-REP-50-D-FPA	12 Pcs ST Front Panel
FO-REP-50-D-FPB	12 Pcs SC Simplex Front Panel
FO-REP-50-D-FPC	6 Pcs SC Duplex Front Panel

Colour: Light Grey or Black
This Front Panel are for FO-REP-50-D

Cabinet

FO-REP-60-a



Models

FO-REP-60-A

Description

72core F/O Cabinet (wall mount) with 6pcs Splicing Tray , SC Adaptor
 Waterproof IP grade: IP65
 Environment temperature: -40° ~ 60°C

FO-REP-60-b



Models

FO-REP-60-B

FO-REP-60-B-PLC

Description

144core F/O Cabinet (Floor type) with 12pcs Splicing Tray , SC Adaptor
 144core F/O Cabinet (Floor type) with 12pcs Splicing Tray & 14pcs 1x8 PLC , SC Adaptor
 Waterproof IP grade: IP65
 Environment temperature: -40° 60°C
 If you need wall-mounted type (without bottom) we also can supply.

FO-REP-60-c



Models

FO-REP-60-C

FO-REP-60-C-PLC

Description

288core F/O Cabinet (Floor type) with 24pcs Splicing Tray , SC Adaptor
 288core F/O Cabinet (Floor type) with 24pcs Splicing Tray & 36pcs 1x8 PLC , SC Adaptor
 Waterproof IP grade: IP65
 Environment temperature: -40° 60°C
 If you need wall-mounted type (without bottom) we also can supply.