


PATCH CORD



FO-PPF- [] - [] - [] - [] - [] - []

| Cable mode |
|-------------|
| D = Duplex |
| S = Simplex |


| Cable type |
|--------------------------------|
| A = Simplex 3.0mm Jacket Cable |
| B = Simplex 2.0mm Jacket Cable |

| Fiber type |
|-----------------------------------|
| 1 = 9/125um Fiber (single-mode) |
| 2 = 50/125um Fiber (multi-mode) |
| 3 = 62.5/125um Fiber (multi-mode) |
| 4 = OM3 Fiber (Multi-mode) |

| Connector Type (for both end) |
|-------------------------------|
| ST = ST type (UPC) |
| FC = FC type (UPC or APC) |
| SC = SC type (UPC or APC) |
| LC = LC type (UPC or APC) |
| E2000 = E2000 APC type |

| Cable length |
|--------------|
| 01 = 1m |
| 02 = 2m |
| ... |
| 10 = 10m |

PIGTAIL



FO-PPF- [] - [] - [] - [] - []

| Cable mode |
|-------------|
| P = Pigtail |


| Cable type |
|-----------------|
| A = 3.0mm Cable |
| B = 2.0mm Cable |
| C = 0.9mm Cable |

| Fiber type |
|-----------------------------------|
| 1 = 9/125um Fiber (single-mode) |
| 2 = 50/125um Fiber (multi-mode) |
| 3 = 62.5/125um Fiber (multi-mode) |
| 4 = OM3 Fiber (Multi-mode) |

| Connector Type (for both end) |
|-------------------------------|
| ST = ST type (UPC) |
| FC = FC type (UPC or APC) |
| SC = SC type (UPC or APC) |
| LC = LC type (UPC or APC) |

| Cable length |
|--------------|
| 01 = 1m |
| 02 = 2m |
| ... |
| 10 = 10m |

FANOUT PIGTAIL



FO-PPF- [] - [] - [] - []

| Cable mode |
|--------------------|
| F = Fanout Pigtail |


| Cable type |
|--------------------|
| A = Without Jacket |
| B = With Jacket |

| Fiber type |
|-----------------------------------|
| 1 = 9/125um Fiber (single-mode) |
| 2 = 50/125um Fiber (multi-mode) |
| 3 = 62.5/125um Fiber (multi-mode) |
| 4 = OM3 Fiber (Multi-mode) |

| Connector Type (for both end) |
|-------------------------------|
| ST = ST type (UPC) |
| FC = FC type (UPC or APC) |
| SC = SC type (UPC or APC) |
| LC = LC type (UPC or APC) |

| Cable length |
|--------------|
| 1.5 m |

PLC SPLITTER



FO-PPF- [] - [] - [] - [] - [] - []

| Cable mode |
|--------------|
| S = Splitter |

| Fiber type |
|-----------------------------------|
| 1 = 9/125um Fiber (single-mode) |
| 2 = 50/125um Fiber (multi-mode) |
| 3 = 62.5/125um Fiber (multi-mode) |
| 4 = OM3 Fiber (Multi-mode) |

| PLC Splitter Type |
|--------------------------------|
| A = PLC Splitter Cordless type |
| B = PLC Splitter Tube type |
| C = PLC Splitter Module type |

| Connector Type (for both end) |
|-------------------------------|
| ST = ST type (UPC) |
| FC = FC type (UPC or APC) |
| SC = SC type (UPC or APC) |
| LC = LC type (UPC or APC) |

| IN x Out |
|---------------------------|
| 102 = 1x2 PLC Splitter |
| 104 = 1 x 4 PLC Splitter |
| 108 = 1 x 8 PLC Splitter |
| 116 = 1 x 16 PLC Splitter |
| 208 = 2 x 8 PLC Splitter |
| 216 = 2 x 16 PLC Splitter |

| Item | Standard 1310 or 1550 | | | Flatness 1310 or 1550 | | | Wide type 1310 or 1550 | | |
|-----------------|--------------------------|-------|--------|--------------------------|-------|--------|---------------------------|-------|--------|
| CW | 1 x 4 | 1 x 8 | 1 x 16 | 1 x 4 | 1 x 8 | 1 x 16 | 1 x 4 | 1 x 8 | 1 x 16 |
| Bandwidth (nm) | ± 20 | | | | | | | | |
| Type | 6,3 | 9,4 | 12,6 | 6,3 | 9,4 | 12,6 | 6,3 | 9,4 | 12,6 |
| Typical IL (dB) | 7,1 | 10,6 | 14,3 | 7,6 | 11,5 | 14,8 | 7,7 | 11,7 | 15,5 |
| Max. IL (dB) | 0,7 | 1 | 1,3 | 1,5 | 2,2 | 3 | 1,9 | 2,8 | 3,7 |
| Ripple (dB) | | | | | | | | | |