

Network Switches

FEATURES

Port Features

Auto negotiation and auto MDI/MDIX

Switching Features

Store and forward switching method


Full duplex flow control and half duplex backpressure

Mac address auto learning and auto aging

LED indicators for monitoring power, link/activity, speed

Management

Unmanaged (Plug and Play)



Support
IEEE802.3af/3at
(30W each port)



Auto-Negotiation



Auto detect
MDI/MDIX



Half-duplex &
Full-duplex Mode



150m Transmission
distance



Fast Ethernet
Switch
(10/100Mbps)



PAP Switch (Plug
and Play)

TECHNICAL SPECIFICATION

Model No.	SW-UNM-8FE1GC
Product description	8 Ports 10/100Mbps +1 PORT 1000Mbps combo
Chipset	IP1818+IP108A+IP210W+IP1001+IP403
10/100Mbps RJ45 Ports	8
10/100/1000Mbps RJ45 Ports	1
1000Mbps SFP Ports	1
Console Port	NA
PoE Ports	NA
Standards	IEEE 802.3, IEEE 802.3u, IEEE 802.3x
Switching Fabric Capacity	3.6Gbps
Mac Address Table	4K
Buffer	96Kbps
Jumbo Frame	9216KByte
IEEE802.3af	NA
IEEE802.3at	NA
Power Supply	AC100~240V
Max PoE Output Power	NA
Housing	Metal Rack Mount
Dimension	280 x 179 x 44.5 mm