

Network Switches

FEATURES

Port Features

Auto negotiation and auto MDI/MDIX

Switching Features

Store and forward switching method

Full duplex flow control and half duplex backpressure

Mac address auto learning and auto aging

LED indicators for monitoring power, link/activity, speed

Management

Unmanaged (Plug and Play)



Support
IEEE802.3af/3at
(30W each port)



Auto-Negotiation



Auto detect
MDI/MDIX




Half-duplex &
Full-duplex Mode



150m Transmission
distance



Fast Ethernet
Switch
(10/100Mbps)



PAP Switch (Plug
and Play)

TECHNICAL SPECIFICATION

Model No.	SW-UNM-8FE1GSFP-8POE
Product description	8 Ports 10/100Mbps PoE + 1 port 1000Mbps SFP Ethernet Switch
Chipset	IP1826D + IP108A + PD69008
10/100Mbps RJ45 Ports	8
10/100/1000Mbps RJ45 Ports	NA
1000Mbps SFP Ports	1
Console Port	
PoE Ports	8
Standards	IEEE802.3, IEEE802.3u, IEEE802.3x, IEEE802.3ab, IEEE802.3z, IEEE802.3az, IEEE802.3af, IEEE802.3at,
Switching Fabric Capacity	3.6Gbps
Mac Address Table	8K
Buffer	2.75Mbps
Jumbo Frame	1.536KByte
IEEE802.3af	✓
IEEE802.3at	✓
Power Supply	AC 100V-240V 50/60HZ (130W)
Max PoE Output Power	125W
Housing	Metal Rack Mount
Dimension	280 x 179 x 44.5 mm