Network **Switches**

FEATURES_____

Port Features

Auto negotiation and auto MDI/MDIX **Switching Features** Store and forward switching method Full duplex flow control and half duplex backpressure Mac address auto learning and auto aging LED indicators for monitoring power, link/activity, speed Management

Unmanaged (Plug and Play)

 Link
Link Aci





duplex Mode

Auto-Negotiation

150m Transmission

distance



PAP Switch (Plug and Play)

MDI/MDIX

■ TECHNICAL SPECIFICATION

Model No.	SW-UNM-8GE
Product description	8 Ports 10/100/1000Mbps Ethernet Switch
Chipset	RTL8370N
10/100Mbps RJ45 Ports	NA
10/100/1000Mbps RJ45 Ports	8
1000Mbps SFP Ports	ΝΑ
Console Port	NA
PoE Ports	ΝΑ
Standards	IEEE802.3, IEEE802.3u, IEEE802.3x, IEEE802.3ab
Switching Fabric Capacity	16Gbps
Mac Address Table	8K
Buffer	2Mbps
Jumbo Frame	9216KByte
IEEE802.3af	NA
IEEE802.3at	NA
Power Supply	DC 5V/1A
Max PoE Output Power	NA
Housing	Metal (Desktop or Wall-Mount)
Dimension	140 x 78 x 28 mm



8 Port 10/100/1000Mb